

- [Back to CAD homepage](#)
- [Back to Products Page](#)
- [Back to Specialty Soybean Data Page](#)

**2000 Specialty Soybean Tests**

[2000 SPECIALTY TEST NORTH, IOWA STATE UNIVERSITY](#)

[2000 SPECIALTY TEST CENTRAL, IOWA STATE UNIVERSITY](#)

[2000 SPECIALTY TEST SOUTH, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST NORTH - Two Year Means, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST CENTRAL - Two Year Means, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST SOUTH - Two Year Means, IOWA STATE UNIVERSITY](#)

**2000 Specialty Soybean Test Central, Iowa State University  
Ames, Keystone, and Rippey, Iowa**

Variety	Yield Bu/ac	Maturity Date	Lodging score	Height inches	Seed Weight mg/sd sds/lb		Protein	Oil	Emergence Score	Chlorosis score
IA2021	48.4	9/7	1.9	32	151	3010	33.4	20.1	2	3.6
IA2038	46.1	9/13	1.8	36	181	2510	35.5	19.6	3	4.6
A97-871009*	50.4	9/7	2.3	35	166	2740	35.3	19.7	2	3.4
IA1008	44.1	9/7	1.4	36	174	2610	36.3	18.5	4	4.1

IA1009	47.2	9/9	2.4	33	137	3320	35.8	18.9	4	3.9
IA2036	43.1	9/9	2.8	38	134	3390	36.8	17.4	2	3.6
IA1007	41.0	9/6	1.7	31	238	1910	38.2	18.1	4	3.1
IA2012	46.5	9/9	1.7	33	243	1870	37.9	18.3	5	3.8
IA2043	43.8	9/9	1.7	34	227	2000	36.8	18.3	5	4.0
IA2045	45.1	9/12	1.8	33	238	1910	36.6	18.9	5	3.0
IA2040	44.2	9/15	2.0	37	253	1800	37.6	18.5	4	3.8
IA2037	45.8	9/16	1.5	32	247	1840	38.3	18.0	2	3.9
IA3009	39.1	9/18	2.1	35	249	1830	37.1	18.5	5	3.9
A97-874064*	44.2	9/7	1.8	35	197	2310	38.4	17.8	5	3.1
HP204	39.9	9/7	2.6	39	202	2250	39.2	17.8	4	3.3
IA2042	45.4	9/8	2.1	35	203	2240	38.5	18.0	4	4.0
IA2017	42.3	9/8	2.5	36	190	2390	38.8	17.8	3	3.3
IA2044	49.5	9/9	1.6	33	230	1980	37.8	18.8	5	3.9
IA2016	40.3	9/9	2.7	37	208	2190	39.4	17.9	2	3.8
Vinton 81	36.8	9/9	2.4	39	204	2230	38.8	17.9	4	3.3
IA2046	49.0	9/11	1.8	34	209	2170	37.8	17.8	5	4.3
IA2048	46.3	9/11	1.6	34	231	1970	38.3	18.3	4	4.1
IA2047	43.0	9/11	1.6	36	227	2000	38.2	18.2	4	4.3
A97-774064*	45.2	9/12	1.9	38	189	2400	40.0	17.3	4	3.3
IA2049	45.1	9/12	1.6	36	229	1980	38.6	18.1	5	4.1
IA2020	39.2	9/12	2.5	38	220	2070	38.8	18.5	5	3.5
IA3006	45.4	9/13	2.0	34	222	2050	38.7	17.9	2	4.0
IA2041	44.1	9/13	1.7	35	179	2540	40.3	17.5	3	3.8
IA3011	42.1	9/13	1.6	36	191	2380	40.7	17.3	4	3.5
IA3001	41.2	9/15	2.2	37	168	2710	39.3	18.0	3	3.4
IA2034	42.0	9/16	2.1	38	189	2400	38.9	17.7	4	3.0
IA2023	37.6	9/7	2.4	36	71	6400	39.7	14.4	1	3.9

A97-875022*	41.4	9/9	2.5	33	73	6230	34.4	18.0	2	3.9
A97-775023*	40.2	9/9	2.7	33	74	6140	34.5	17.9	3	4.0
A97-775027*	39.1	9/9	2.8	34	75	6060	34.8	18.0	2	3.5
IA2035	37.8	9/9	2.7	31	69	6590	39.7	13.9	4	3.6
A97-775019*	37.6	9/9	2.7	32	73	6230	34.3	18.1	3	3.5
A97-875019*	40.4	9/11	2.3	35	78	5830	36.2	17.8	2	3.8
A97-875034*	39.2	9/11	2.5	32	76	5980	34.3	18.0	2	3.8
IA2011	45.8	9/8	1.9	34	184	2470	36.7	19.2	2	3.0
IA2032	42.3	9/9	2.2	36	214	2120	38.5	19.1	4	3.5
IA2025	39.9	9/10	1.5	34	199	2280	39.8	18.3	3	3.9
IA2036LF*	39.2	9/10	2.7	39	135	3370	36.9	17.9	3	3.9
IA2027	38.3	9/11	2.3	40	206	2210	38.5	19.0	5	3.5
IA2029	39.5	9/12	2.5	36	193	2350	39.7	18.1	2	4.1

Yield: Bushels/acre at 13% moisture

Maturity: Month/ Day

Lodging: 1=erect; 5=prostrate

Seed weight: Grams/100 seeds

Protein & oil: 13% moisture basis

Emergence: 1=excellent, 5=poor

Iron-deficiency chlorosis: 1=no chlorosis, 5=severe chlorosis