

- [Back to CAD homepage](#)
- [Back to Products Page](#)
- [Back to Specialty Soybean Data Page](#)

2000 Specialty Soybean Tests

2000 SPECIALTY TEST NORTH, IOWA STATE UNIVERSITY

[2000 SPECIALTY TEST CENTRAL, IOWA STATE UNIVERSITY](#)

[2000 SPECIALTY TEST SOUTH, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST NORTH - Two Year Means, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST CENTRAL - Two Year Means, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST SOUTH - Two Year Means, IOWA STATE UNIVERSITY](#)

2000 Specialty Soybean Test North, Iowa State University

Ames, Greene, Kanawha, and Sioux Rapids, Iowa

Variety	Yield Bu/ac	Maturity Date	Lodging score	Height inches	Seed Weight mg/sd sds/lb		Protein	Oil	Emergence Score	Chlorosis score
IA2021	57.0	9/8	1.9	34	173	2630	34.4	19.8	2	3.6
A97-871009*	59.0	9/12	2.0	39	187	2430	35.8	19.8	2	3.4
IA1008	55.0	9/6	1.5	40	193	2350	36.2	18.6	4	4.1

IA1009	56.5	9/7	2.3	35	156	2910	35.2	18.9	4	3.9
IA2036	55.8	9/9	3.0	41	155	2930	36.4	17.6	2	3.6
IA1007	51.8	9/8	1.3	35	268	1700	37.6	18.5	4	3.1
IA2043	56.4	9/10	1.6	35	270	1680	36.6	18.6	5	4.0
IA2012	51.7	9/11	1.7	36	270	1680	37.4	18.3	5	3.8
IA2045	50.4	9/12	1.6	35	275	1650	36.6	18.9	5	3.0
IA2040	52.6	9/13	1.9	39	288	1580	37.8	18.5	4	3.8
HP204	47.5	9/8	2.5	42	222	2050	38.7	18.1	4	3.3
A97-874064*	55.7	9/9	1.9	37	225	2020	39.1	17.8	5	3.1
IA2044	52.8	9/9	1.6	36	260	1750	37.9	18.9	5	3.9
IA2016	49.6	9/9	2.6	42	227	2000	38.9	18.0	2	3.8
IA2042	54.4	9/10	2.1	39	226	2010	38.5	18.0	4	4.0
IA2017	49.0	9/10	2.3	39	209	2170	38.6	17.9	3	3.3
IA2046	54.1	9/11	2.0	38	263	1730	37.7	18.1	5	4.3
IA2047	51.5	9/11	1.7	37	265	1720	38.3	18.5	4	4.3
IA2048	50.7	9/11	1.8	38	266	1710	38.5	18.4	4	4.1
Vinton 81	44.7	9/11	2.4	42	224	2030	39.2	17.8	4	3.3
A97-774064*	53.2	9/12	2.1	42	213	2130	39.1	17.4	4	3.3
IA2049	51.5	9/13	1.6	37	262	1730	38.2	18.5	5	4.1
IA2041	51.1	9/13	1.8	40	199	2280	40.1	17.7	3	3.8
IA2020	45.8	9/13	2.4	41	240	1890	38.5	18.6	5	3.5
IA2034	48.7	9/17	2.1	41	212	2140	39.4	17.4	4	3.0
IA2023	42.8	9/8	2.8	38	82	5540	40.5	14.2	1	3.9
A97-775019*	48.7	9/9	2.7	37	82	5540	35.0	17.9	3	3.5
A97-775023*	47.5	9/10	2.8	36	79	5750	34.9	17.8	3	4.0
A97-875022*	46.3	9/10	2.9	36	79	5750	34.6	17.9	2	3.9
IA2035	46.3	9/10	2.9	37	76	5980	40.7	14.1	4	3.6
A97-875034*	48.0	9/11	2.9	36	81	5610	34.8	17.9	2	3.8

A97-775027*	47.3	9/11	2.8	36	80	5680	34.6	18.0	2	3.5
A97-875019*	47.4	9/12	2.3	38	84	5410	36.2	17.8	2	3.8
IA2011	53.2	9/10	1.7	39	199	2280	36.8	19.1	2	3.0
IA2036LF*	53.8	9/8	3.2	43	155	2930	36.8	17.8	3	3.9
IA2027	47.1	9/11	2.2	43	231	1970	38.3	19.2	5	3.5
IA2032	50.1	9/12	2.1	41	246	1850	38.3	19.3	4	3.5
IA2025	47.0	9/12	1.9	38	225	2020	39.4	18.4	3	3.9
IA2029	44.9	9/14	2.6	39	215	2110	38.9	18.6	2	4.1

Yield: Bushels/acre at 13% moisture

Maturity: Month/ Day

Lodging: 1=erect; 5=prostrate

Seed weight: Grams/100 seeds

Protein & oil: 13% moisture basis

Emergence: 1=excellent, 5=poor

Iron-deficiency chlorosis: 1=no chlorosis, 5=severe chlorosis