

[● Back to CAD homepage](#)

[● Back to Products Page](#)

[● Back to Specialty Soybean Data Page](#)

2000 Specialty Soybean Tests

[2000 SPECIALTY TEST NORTH, IOWA STATE UNIVERSITY](#)

[2000 SPECIALTY TEST CENTRAL, IOWA STATE UNIVERSITY](#)

[2000 SPECIALTY TEST SOUTH, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST NORTH - Two Year Means, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST CENTRAL - Two Year Means, IOWA STATE UNIVERSITY](#)

[1999-2000 SPECIALTY TEST SOUTH - Two Year Means, IOWA STATE UNIVERSITY](#)

2000 Specialty Soybean Test South, Iowa State University

Ames, Crawfordsville, and Winterset, Iowa

Variety	Yield Bu/ac	Maturity Date	Lodging score	Height inches	Seed Weight mg/sd sds/lb		Protein	Oil	Emergence Score	Chlorosis score
IA2021	51.9	9/8	1.7	31	151	3010	34.8	19.9	2	3.6
Macon	52.2	9/16	1.6	35	163	2790	36.6	19.2	2	3.9
A97-871009*	53.9	9/8	1.9	35	165	2750	36.8	19.4	2	3.4
IA2043	48.6	9/9	1.3	33	242	1880	37.5	18.2	5	4.0

IA2045	47.5	9/11	1.7	31	238	1910	38.1	18.5	5	3.0
IA2040	51.9	9/14	1.6	34	255	1780	38.5	18.3	4	3.8
IA2037	48.5	9/14	1.6	31	241	1890	39.6	17.8	2	3.9
IA3009	46.1	9/18	1.8	35	268	1700	37.9	18.4	5	3.9
Ohio FG1	44.8	9/21	1.6	35	216	2100	38.3	18.6	4	3.3
IA2017	44.1	9/6	2.9	36	194	2340	39.6	17.8	3	3.3
A97-874064*	50.3	9/7	1.9	34	205	2220	40.1	17.7	5	3.1
IA2042	48.0	9/7	2.2	35	201	2260	39.4	17.9	4	4.0
HP204	39.6	9/8	2.8	37	200	2270	40.2	17.9	4	3.3
Vinton 81	39.4	9/9	2.7	39	204	2230	39.8	17.8	4	3.3
IA2044	48.1	9/10	1.3	31	218	2080	39.0	18.8	5	3.9
IA2048	46.5	9/10	1.3	30	232	1960	39.6	18.2	4	4.1
IA3006	46.0	9/11	1.5	32	236	1930	39.0	18.3	2	4.0
IA2047	44.7	9/11	1.3	31	235	1930	39.6	18.1	4	4.3
IA2020	43.3	9/11	1.9	36	215	2110	39.7	18.6	5	3.5
IA2046	49.9	9/12	1.6	32	228	1990	39.3	17.7	5	4.3
IA2049	49.4	9/12	1.4	32	239	1900	39.6	18.3	5	4.1
IA2041	48.6	9/12	1.4	36	183	2480	41.0	17.9	3	3.8
A97-774064*	48.5	9/13	1.6	37	192	2370	40.6	17.3	4	3.3
IA2034	47.2	9/14	1.8	37	190	2390	40.7	17.4	4	3.0
IA3011	47.2	9/14	1.7	33	192	2370	40.7	17.6	4	3.5
IA3001	47.8	9/18	1.8	37	177	2570	40.4	18.2	3	3.4
A97-775027*	42.9	9/8	2.8	32	73	6230	35.5	17.9	2	3.5
A97-875034*	42.8	9/8	2.7	33	73	6230	35.5	17.9	2	3.8
A97-775023*	46.2	9/9	2.3	32	73	6230	35.4	18.0	3	4.0
A97-875022*	43.6	9/9	2.3	31	73	6230	35.5	18.0	2	3.9
IA2035	43.0	9/9	2.4	33	69	6590	41.3	13.6	4	3.6
A97-775019*	42.8	9/9	2.6	31	74	6140	35.5	18.1	3	3.5

A97-875019*	46.3	9/10	1.8	34	77	5900	37.2	17.7	2	3.8
A97-975032*	40.5	9/15	2.4	35	74	6140	36.3	17.3	1	3.5
IA3008	42.3	9/16	3.2	33	74	6140	36.0	16.7	3	3.8
A97-975043*	40.3	9/18	2.2	39	74	6140	40.3	14.5	1	3.8
IA4001	39.8	9/19	3.5	36	71	6400	35.6	17.1	2	4.0
IA2032	43.5	9/9	1.7	34	212	2140	39.4	19.2	4	3.5
IA2036LF*	43.0	9/9	2.9	38	140	3250	38.1	17.6	3	3.9
IA2025	44.2	9/10	1.6	33	205	2220	40.6	18.4	3	3.9
IA2027	42.3	9/10	2.1	38	203	2240	39.2	19.3	5	3.5
IA2029	39.8	9/10	2.3	35	190	2390	39.8	18.4	2	4.1
A94-774016LF*	50.4	9/14	2.1	34	140	3250	35.2	19.5	1	3.4

Yield: Bushels/acre at 13% moisture

Maturity: Month/ Day

Lodging: 1=erect; 5=prostrate

Seed weight: Grams/100 seeds

Protein & oil: 13% moisture basis

Emergence: 1=excellent, 5=poor

Iron-deficiency chlorosis: 1=no chlorosis, 5=severe chlorosis